



Laser screeds

[Orders](#)

[Hotline](#)

[Chat zalo](#)

[Whatsapp](#)

[Facebook](#)

MODEL	MANIPAV-3000	MANIPAV-2000
Weight	1.300 KG	550 KG
Power	LOMBARDINI (LDW 1003/B1) LIQUID COOLED,27hp,3cyl.EPA	HONDA IGX440 15Hp, Air cooled
Fuel Capacity	15L	7L
Control system	ELECTRIC/HIDRAULIC	ELECTRIC/HYDRAULIC
Driver	3 Hyraulic motor	3 Hyraulic motor
Vibration	VIBRATING BEAM 300cm VIBRATOR ELECTRIC 3000rpm	VIBRATING BEAM 250cm VIBRATOR ELECTRIC 3000rpm
Fuel capacity	95 L	40 L
Hydraulic cylinder laser	48 cm HIGH	30 c.m. HIGH
Distance from the floor	35 c.m.	18 c.m.
Dimention		
Long	340 c.m.	290 c.m.
Width	350 c.m.	250 c.m.
Height	210 c.m.	175 c.m.

Production	500 M2/H Aprox	250 M2/H Aprox
Laser control system	SPECTRA-TRIMBLE	SPECTRA-TRIMBLE
	1 CONTROL BOX	1 CONTROL BOX
	2 RECEIVERS LR-30	2 RECEIVERS LR-30
	KIT CONECTION	KIT CONECTION

Related Products

Currently there are no news items.