

; (function($) { $(document).ready(function() { $("#owl-slider-1386").owlCarousel({ items: 4, lazyLoad: true, navigation: true, pagination: false, itemsDesktop: [1199, 3], itemsDesktopSmall: [979, 2], itemsTablet: [768, 4], itemsMobile: [479, 3], }); $("#owl-slider-1386 img").click(function() { var imgMain = $(".imageRoot"), a_imgMain = $(".link-imageRoot"), src = $(this).attr("data-href"), srcFull = $(this).attr("data-full"); imgMain.attr({ 'src': src, 'data-full': srcFull }); a_imgMain.attr("href", srcFull); }); }); }(jQuery));

Mulcher

Orders

Hotline

Chat zalo

Whatsapp

Facebook

MODEL	VM1000	VM1500
Cutting width	1000mm	1500mm
Tree up to	120mm	250mm
Oil flow	60-70 lít/phút	80-95 lít/phút
working pressure	160-240 bar	160-240 bar
W	1229mm	1820mm
H	529mm	953mm
D	794mm	994 mm
carrier weight	5-10 tấn	10-15 tấn

Related Products



Log Splitter



Cement Mixer Bowls



Skid steer loader pallet forks



Auger Torque Hydraulic Earth Auger for Truck-Mounted Cranes



[Auger Torque Hydraulic Earth Drill Attachment for Excavators]



[Road Milling Machine Spare Parts]