

Lightweight concrete mixer

Orders

Hotline

Chat zalo

Whatsapp

Facebook

FM Serial lightweight concrete mixer is designed according to European standard for lightweight concrete mixing. FM series is a compact machine suitable for lightweight concrete mix at the site to large capacity to meet the demand of concrete production in the brick factory with a designed capacity of up to 100 m3 / day.

Normal 0 false false false EN-US X-NONE X-NONE

MODEL	**FM 200**	**FM500**	**FM900**	**FM 1500**
Mixing capacity	200 liter	500 liter	900 liter	1500 liter
Productivity	10 m^3/ ca	30 m^3/ca	60m^3/ca	100 m^3/ca
Engine power	3 Hp	5 Hp	7,5 Hp	10 Hp
Electricity supply	380V/220V	380V	380V	380V
Weigh	160 Kg	330kg	550kg	820kg
Mixing speed	70 rpm	70 rpm	70 rpm	70 rpm

CUTTING TOOLS.

We supply equipment and technology transfer light brick production by manual cutting method with capacity from 10 m3 to 60 m3 per day with all brick sizes according to construction standards Vietnam.

Mold cut wire



Pouring concrete into the mold



Cutting bricks



Brick after cutting:



Highlights:

- Low investment cost (only 70 million / set of equipment)

- Make use of surplus labor in rural areas to reduce production costs.

- The quality of bricks ensures the required size and compressive strength.

- The surface is cut wire should be easy to plaster.

- The time to cut, not broken bricks due to machinery problems such as using brick cutter.

Related Products



Foam Edama - Germany



Brick cut machine



Lightweight concrete mortar pump



Foaming machine



Cigarettes



Provide lightweight concrete