



## Lightweight concrete mixer

[Orders](#)

[Hotline](#)

[Chat zalo](#)

[Whatsapp](#)

[Facebook](#)

FM Serial lightweight concrete mixer is designed according to European standard for lightweight concrete mixing. FM series is a compact machine suitable for lightweight concrete mix at the site to large capacity to meet the demand of concrete production in the brick factory with a designed capacity of up to 100 m<sup>3</sup> / day.

Normal 0 false false false EN-US X-NONE X-NONE

<b>MODEL</b>	<b>FM 200</b>	<b>FM500</b>	<b>FM900</b>	<b>FM 1500</b>
Mixing capacity	200 liter	500 liter	900 liter	1500 liter
Productivity	10 m <sup>3</sup> / ca	30 m <sup>3</sup> /ca	60m <sup>3</sup> /ca	100 m <sup>3</sup> /ca
Engine power	3 Hp	5 Hp	7,5 Hp	10 Hp
Electricity supply	380V/220V	380V	380V	380V
Weigh	160 Kg	330kg	550kg	820kg
Mixing speed	70 rpm	70 rpm	70 rpm	70 rpm

## **CUTTING TOOLS.**

We supply equipment and technology transfer light brick production by manual cutting method with capacity from 10 m<sup>3</sup> to 60 m<sup>3</sup> per day with all brick sizes according to construction standards Vietnam.

Mold cut wire



Pouring concrete into the mold



Cutting bricks





Brick after cutting:



#### Highlights:

- Low investment cost (only 70 million / set of equipment)
- Make use of surplus labor in rural areas to reduce production costs.
- The quality of bricks ensures the required size and compressive strength.
- The surface is cut wire should be easy to plaster.

- The time to cut, not broken bricks due to machinery problems such as using brick cutter.

## **Related Products**

Currently there are no news items.