



Conveyor batching plant

[Orders](#)

[Hotline](#)

[Chat zalo](#)

[Whatsapp](#)

[Facebook](#)

Concrete mixing plant built in Germany capacity 30 - 60 tons / h. Two-shaft, double-axial forced mixing tank with Sicom technology. Siemens control system with Japan, United States provides high reliability. Automatic, semi-automatic or manual control mode.

Modular construction makes it easy to remove, install, transport, secure, stable and flexible structure.

With a team of skilled technicians, we provide a package of transportation, installation throughout the territory of Vietnam with all types of installed terrain.

Machine name	Capacity (m ³ /h)	Mixer	Volume of mortar mix	Quantitative tolerances				Height of material discharge
				Mixed	Water	Cement	Additives	
CM 60	60	JS 1000	1	≤±2	≤±1	≤±1	≤±1	3.8 m
CM 90	90	JS 1500	1.5	≤±2	≤±1	≤±1	≤±1	3.8 m
CM120	120	JS 2000	2	≤±2	≤±1	≤±1	≤±1	3.8 m
CM150	150	JS 3000	3	≤±2	≤±1	≤±1	≤±1	3.8 m
CM180	180	JS 3500	3.5	≤±2	≤±1	≤±1	≤±1	3.8 m
CM200	200	JS 4000	4	≤±2	≤±1	≤±1	≤±1	3.8 m

Related Products



—

[Mortar Mixer](#)



—

[Mini mobile concrete mixing plant](#)



—

[self-loading concrete mixer](#)



—

[Concrete spraying machine](#)



—

[Mobile concrete batching plant](#)



—

[Concrete mixing plant](#)